



Test Report

No.: T52110271581TY

Date: JUL 14, 2021

Page 1 of 45

PANINI S.P.A.

VIALE EMILIO PO, 380 - 41126 MODENA ITALIA

The following samples were submitted and identified by/on behalf of the client as:

FEROX WILD ANIMALS

Item No. : 004209
Magazine Name : NONE
Countries to Which Gift Will be Supplied : EU (ITALY)
Volume / Number of Products : ND
Labeled Age Grading : NOT STATED
Requested Age Grading : 3+ YEARS

Age Group Assessed by SGS As Per Age : 3+ YEARS
Guideline
Age Group Applied in Testing : 3+ YEARS
Sample Receiving Date : JUN 16, 2021
Last Submission Sample Date : JUL 07, 2021
Testing Period : JUN 16, 2021 TO JUL 14, 2021



SGS-CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Test Requested		Conclusion
1.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalates content	PASS
	Client's Requirement – Phthalates content	PASS
2.	For compliance with the European standard on Safety of toys:-	--
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
	EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability	PASS
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 – Migration of certain elements (All conclusive testing)	PASS
3.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Cadmium content	PASS
	Client's Requirement – Cadmium content	PASS
4.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Organostannic compounds	PASS
5.	European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Polycyclic Aromatic Hydrocarbons (PAHs) Content	PASS
6.	Article 11 of European Directive 94/62/EC and its amendments – Total Lead, Cadmium, Mercury and Hexavalent Chromium content	PASS



Test Requested		Conclusion
7.	European Regulation (EU) 2019/1021 Persistent Organic Pollutants (POPs Recast) – Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs)	PASS
8.	Labeling requirement (UKCA marking, name and address) for the market of Great Britain (England, Wales and Scotland) with reference to Guidance published by Department for Business, Energy & Industrial Strategy	SEE RESULT
9.	Product Safety Commission (AfPS), GS specification, Specification in accordance with § 21 Section 1 No. 3 ProdSG (Dated May 15, 2019) - Polycyclic Aromatic Hydrocarbon (PAHs) Content	PASS
10.	Client's Requirement – Lead Content	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
 SGS-CSTC Standards Technical
 Services Co., Ltd. Shenzhen Branch Testing Center



Liu Junjie, Tony
 Section Manager



Qu Ping, Kiky
 Dept. Manager



SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Results:
Phthalate content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Materials can be placed in the mouth for toys & childcare articles

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	ND	--	0.1

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.015	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	0.015	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	ND	--	0.1


 SGS-CSTC
 Inspection & Testing Services
 Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

 SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
 中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
Specimen No.	--	7	8		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	--	0.1

Test Item(s)	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
Specimen No.	--	9	10		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	0.007	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	0.007	--	0.1
Total (DINP+DNOP+DIDP)		ND	ND	--	0.1



Specimen Description:

1. Orange soft plastic (Giant squid) + Transparent dry glue (Joint) + Brown-red soft plastic (Vampire squid)
2. Green soft plastic (Lantern fish) + Translucent apricot soft plastic (Jellyfish) + Purple soft plastic (Eel)
3. Black soft plastic (Killer whale) + Brown soft plastic (Devil fish) + Yellow soft plastic (Puffer fish)
4. Blue soft plastic (Piranha) + Orange soft plastic (Octopus) + Grey-brown soft plastic (Stingray)
5. Grey soft plastic (Shark) + Dull grey soft plastic (Shark) + Dull blue soft plastic (Shark)
6. Multi-color coating on paper sheet (Instruction) (Submitted on Jul 07, 2021)
7. White coating on soft plastic (Eye, teeth, body) w/ Bright black coating on soft plastic (Eye) w/ Dark apricot coating on soft plastic (Vampire squid) + Off-white coating on soft plastic (Puffer fish, stingray, shark)
8. Red coating on soft plastic (Mouth) w/ Yellow coating on soft plastic (Eel) w/ Green coating on soft plastic (Devil fish) + Purple coating on soft plastic (Octopus) w/ Dark yellow coating on soft plastic (Piranha)
9. Dull yellow coating on soft plastic (Jellyfish) w/ Black coating on soft plastic (Lantern fish)
10. Transparent plastic film (Instruction)

Materials can not be placed in the mouth for toys & childcare articles or plasticized material in the other article

Test Item(s)	CAS No.	Result (s) (%)	MDL (%)	Permissible Limit (%)	Client's Limit (%)
Specimen No.	--	1			
Dibutyl Phthalate (DBP)	84-74-2	ND	0.003	0.1	--
Benzylbutyl Phthalate (BBP)	85-68-7	ND	0.003	0.1	--
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	0.003	0.1	--
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	0.010	--	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	0.003	--	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	0.010	--	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.003	0.1	--
Total (DBP+BBP+DEHP+DIBP)		ND	--	0.1	--
Total (DINP+DNOP+DIDP)		ND	--	--	0.1

Specimen Description:

1. White foam (Inner) + Beige plastic (Inner)



- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - % = percentage by weight
 - Results shown as ND are ignored in the sum calculation
 - The result(s) is (are) calculated using the total specimen weight for composite test

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	General requirements	
4.1	Material cleanliness	<u>Pass</u>
4.7	Edges	<u>Pass</u>
4.8	Points and metallic wires	<u>Pass</u>
6	Packaging	<u>Pass</u>
7	Warnings, markings and instructions for use	
7.1	General Requirements Please note that for assessing the visibility and legibility of warnings CEN has introduced good practice in the informative Annex 33 by addressing the following aspects: a) Emphasising the warning; b) Contrast, background and colours; c) Reflecting surfaces and obscuring material; d) Font type; e) Font size; f) Logical direction of text. For more details see EN 71-1	<u>Pass</u>
7.2	Toys not intended for children under 36 months (Remark: The toy contains small parts. It is acceptable because appropriate warning is found on packaging.)	<u>Pass</u> <u>See Remark</u>

Only English warnings were checked for the clause 7. According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.



EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.1	General requirements	<u>Pass</u>

Type of gas: Butane gas used in the test burner

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	--
CE mark	Present	Packaging
Importer's Name & Address	Present	Packaging
Manufacturer's Name & Address	Absent. See note 3	--
Product ID	Present	Packaging

Note:

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 – Migration of certain elements
Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis / LC-ICP-MS and organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)			MDL	Permissible Limit
	1	2	3		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	16.6	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	1.74	0.79	0.43	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	1.74	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (Shenzhen) Technical Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	4	5	6		
Specimen No.				--	--
Mass of trace amount (mg)	99.0	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	75	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	24.55	ND	0.37	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	24.55	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	74	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	7	8	9		
Specimen No.				--	--
Mass of trace amount (mg)	19.3	/	12.9	--	--
Soluble Aluminium (Al) (mg/kg)	ND	50	540	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	7.13	ND	6.05	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	7.13	ND	6.05	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	79	985	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	10	11	12		
Specimen No.				--	--
Mass of trace amount (mg)	99.2	/	61.5	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	1.66	0.27	3.50	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	1.66	ND	3.50	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



Test Item(s)	Result(s)			MDL	Permissible Limit
	13	14	15		
Specimen No.				--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	1.11	2.22	0.24	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	1.11	2.22	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	16	17	18		
Specimen No.				--	--
Mass of trace amount (mg)	/	38.9	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	0.73	2.64	0.97	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	2.64	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
	19	20	21		
Specimen No.				--	--
Mass of trace amount (mg)	16.5	/	26.1	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	5.58	0.34	12.29	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	5.58	ND	12.29	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	Result(s)		MDL	Permissible Limit
	22	23		
Specimen No.			--	--
Mass of trace amount (mg)	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	0.67	0.63	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	50	46000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	Result(s)			MDL	Permissible Limit
Specimen No.	24	25	26	--	--
Mass of trace amount (mg)	/	/	/	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	50	28130
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	5	17
Soluble Chromium ⁺ (Cr) (mg/kg)	0.79	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	50	46000



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Specimen Description:

1. Orange soft plastic (Giant squid)
2. Transparent dry glue (Joint)
3. Bright black coating on soft plastic (Eye)
4. White coating on soft plastic (Eye, teeth, body)
5. White paper sheet w/ multi-color coating (Instruction) (Submitted on Jul 07, 2021)
6. Brown-red soft plastic (Vampire squid)
7. Dark apricot coating on soft plastic (Vampire squid)
8. Green soft plastic (Lantern fish)
9. Black coating on soft plastic (Lantern fish)
10. Red coating on soft plastic (Mouth)
11. Translucent apricot soft plastic (Jellyfish)
12. Dull yellow coating on soft plastic (Jellyfish)
13. Purple soft plastic (Eel)
14. Black soft plastic (Killer whale)
15. Brown soft plastic (Devil fish)
16. Yellow soft plastic (Puffer fish)
17. Off-white coating on soft plastic (Puffer fish, stingray, shark)
18. Blue soft plastic (Piranha)
19. Dark yellow coating on soft plastic (Piranha)
20. Orange soft plastic (Octopus)
21. Purple coating on soft plastic (Octopus)
22. Grey-brown soft plastic (Stingray)
23. Grey soft plastic (Shark)
24. Dull grey soft plastic (Shark)
25. Dull blue soft plastic (Shark)
26. Transparent plastic film (Instruction)



- Note:
- mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by EN 71-3:2019, results shown only for reference

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN 71-3:2019.

Yellow coating on soft plastic (Eel)

Green coating on soft plastic (Devil fish)

European Regulation (EC) No. 1907/2006 (REACH), Annex XVII and its Amendments – Cadmium Content

Method: With reference to CPSC-CH-E1003-09.1

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3

For Plastic

Test Item(s)	Cadmium (Cd)		
Permissible Limit (mg/kg)	100		
Specimen Description	Alias No.	Tracing No.	Result(s) (mg/kg)
1. Orange soft plastic (Giant squid) + Transparent dry glue (Joint) + Brown-red soft plastic (Vampire squid)	8	1	ND
2. Green soft plastic (Lantern fish) + Translucent apricot soft plastic (Jellyfish) + Purple soft plastic (Eel)	8	2	ND
3. Black soft plastic (Killer whale) + Brown soft plastic (Devil fish) + Yellow soft plastic (Puffer fish)	8	3	ND
4. Blue soft plastic (Piranha) + Orange soft plastic (Octopus) + Grey-brown soft plastic (Stingray)	8	4	ND
5. Grey soft plastic (Shark) + Dull grey soft plastic (Shark) + Dull blue soft plastic (Shark)	8	5	ND
6. White foam (Inner) + Beige plastic (Inner)	8	6	ND
7. Transparent plastic film (Instruction)	02T-3	1	ND



SGS-CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

For Paint on Painted Article

Test Item(s)	Cadmium (Cd)		
Permissible Limit (mg/kg)	1000		
Client's Limit (mg/kg)	100		
Specimen Description	Alias No.	Tracing No.	Result(s) (mg/kg)
1. Dull yellow coating on soft plastic (Jellyfish) w/ Black coating on soft plastic (Lantern fish)	7	1	ND
2. White coating on soft plastic (Eye, teeth, body) w/ Bright black coating on soft plastic (Eye) w/ Dark apricot coating on soft plastic (Vampire squid) + Off-white coating on soft plastic (Puffer fish, stingray, shark)	7	2	ND
3. Red coating on soft plastic (Mouth) w/ Yellow coating on soft plastic (Eel) w/ Green coating on soft plastic (Devil fish) + Purple coating on soft plastic (Octopus) w/ Dark yellow coating on soft plastic (Piranha)	7	3	ND
4. Multi-color coating on paper sheet (Instruction) (Submitted on Jul 07, 2021)	02T-10	1	ND

- Note:
- Permissible and Reference Limit specified by Commission Regulation (EU) No 494/2011 & Commission Regulation (EU) No 2016/217 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under entry 23 of Regulation (EC) No 552/2009 and directive 91/338/EC).
 - mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 5 mg/kg
 - 1% = 10000 mg/kg = 10000 ppm
 - The result(s) is (are) calculated using the minimum specimen weight for composite test.



European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Organostannic compounds

Method: With reference to ISO 17353: 2004

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	Result(s) (%)			MDL (%)	Permissible Limit (%)
Specimen No.	1	2	3		
Alias No.	12	12	12		
Tracing No.	1	2	3		
Dibutyltin (DBT) (as Tin)	ND	ND	ND	0.010	0.1
Diocetyl tin (DOT) (as Tin)	ND	ND	ND	0.010	0.1
Tri-substituted Organostannic Compounds (as Tin)	ND	ND	ND	0.010	0.1

Test Item(s)	Result(s) (%)			MDL (%)	Permissible Limit (%)
Specimen No.	4	5	6		
Alias No.	12	12	12		
Tracing No.	4	5	6		
Dibutyltin (DBT) (as Tin)	ND	ND	ND	0.010	0.1
Diocetyl tin (DOT) (as Tin)	ND	ND	ND	0.010	0.1
Tri-substituted Organostannic Compounds (as Tin)	ND	ND	ND	0.010	0.1

Test Item(s)	Result(s) (%)			MDL (%)	Permissible Limit (%)
Specimen No.	7	8	9		
Alias No.	02T-4	12	12		
Tracing No.	2	8	9		
Dibutyltin (DBT) (as Tin)	ND	ND	ND	0.010	0.1
Diocetyl tin (DOT) (as Tin)	ND	ND	ND	0.010	0.1
Tri-substituted Organostannic Compounds (as Tin)	ND	ND	ND	0.010	0.1

Test Item(s)	Result(s) (%)			MDL (%)	Permissible Limit (%)
Specimen No.	10				
Alias No.	02T-4				
Tracing No.	1				
Dibutyltin (DBT) (as Tin)	ND			0.010	0.1
Diocetyl tin (DOT) (as Tin)	ND			0.010	0.1
Tri-substituted Organostannic Compounds (as Tin)	ND			0.010	0.1



Specimen Description:

1. Orange soft plastic (Giant squid) + Transparent dry glue (Joint) + Brown-red soft plastic (Vampire squid)
2. Green soft plastic (Lantern fish) + Translucent apricot soft plastic (Jellyfish) + Purple soft plastic (Eel)
3. Black soft plastic (Killer whale) + Brown soft plastic (Devil fish) + Yellow soft plastic (Puffer fish)
4. Blue soft plastic (Piranha) + Orange soft plastic (Octopus) + Grey-brown soft plastic (Stingray)
5. Grey soft plastic (Shark) + Dull grey soft plastic (Shark) + Dull blue soft plastic (Shark)
6. White foam (Inner) + Beige plastic (Inner)
7. Multi-color coating on paper sheet (Instruction) (Submitted on Jul 07, 2021)
8. Dull yellow coating on soft plastic (Jellyfish) w/ Black coating on soft plastic (Lantern fish) + Red coating on soft plastic (Mouth) w/ Yellow coating on soft plastic (Eel) w/ Green coating on soft plastic (Devil fish) w/ Purple coating on soft plastic (Octopus) w/ Dark yellow coating on soft plastic (Piranha)
9. White coating on soft plastic (Eye, teeth, body) w/ Bright black coating on soft plastic (Eye) w/ Dark apricot coating on soft plastic (Vampire squid) w/ Off-white coating on soft plastic (Puffer fish, stingray, shark)
10. Transparent plastic film (Instruction)

- Note:
- % = percentage by weight
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - Tri-substituted Organostannic compounds are represented by Tributyltin (TBT) compounds, Triphenyltin (TPhT) compounds, Tripropyltin (TPT) compounds, Tricyclohexyltin (TCyT) compounds and Tri-n-octyltin (TOT) compounds, Trimethyltin (TMT) compounds
 - The result(s) is (are) calculated using the total specimen weight for composite test.



Regulation (EC) No. 1907/2006 (REACH), Annex XVII and its Amendments – PAHs Content

Method: With reference to AfPS GS 2019:01 PAK method.
 Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

For Toy or childcare product

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	1	2	3		
Alias No.	--	6	6	02T-6		
Tracing No.	--	1	2	2		
1. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	4	5	6		
Alias No.	--	6	6	6		
Tracing No.	--	4	5	6		
1. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	7	8	9		
Alias No.	--	6	6	6		
Tracing No.	--	7	8	9		
1. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	10	11	12		
Alias No.	--	6	6	6		
Tracing No.	--	10	11	12		
1. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	13	14	15		
Alias No.	--	6	6	6		
Tracing No.	--	13	14	15		
1. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	16	17	18		
Alias No.	--	6	6	6		
Tracing No.	--	16	17	18		
1. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	19	20	21		
Alias No.	--	6	6	6		
Tracing No.	--	19	20	21		
1. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.5
2. Chrysene	218-01-9	ND	ND	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.5
8. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.5

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit+ (mg/kg)
Specimen No.	--	22				
Alias No.	--	02T-6				
Tracing No.	--	1				
1. Benzo[a]anthracene	56-55-3	ND			0.1	0.5
2. Chrysene	218-01-9	ND			0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND			0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND			0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND			0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND			0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND			0.1	0.5
8. Dibenzo[a,h]anthracene	53-70-3	ND			0.1	0.5



Specimen Description:

1. Orange soft plastic (Giant squid)
2. Transparent dry glue (Joint)
3. Multi-color coating on paper sheet (Instruction) (Submitted on Jul 07, 2021)
4. Brown-red soft plastic (Vampire squid)
5. Green soft plastic (Lantern fish)
6. Translucent apricot soft plastic (Jellyfish)
7. Purple soft plastic (Eel)
8. Black soft plastic (Killer whale)
9. Brown soft plastic (Devil fish)
10. Yellow soft plastic (Puffer fish)
11. Blue soft plastic (Piranha)
12. Orange soft plastic (Octopus)
13. Grey-brown soft plastic (Stingray)
14. Grey soft plastic (Shark)
15. Dull grey soft plastic (Shark)
16. Dull blue soft plastic (Shark)
17. White coating on soft plastic (Eye, teeth, body) w/ Bright black coating on soft plastic (Eye) w/ Dark apricot coating on soft plastic (Vampire squid)
18. Red coating on soft plastic (Mouth) w/ Yellow coating on soft plastic (Eel) w/ Green coating on soft plastic (Devil fish)
19. Off-white coating on soft plastic (Puffer fish, stingray, shark)
20. Purple coating on soft plastic (Octopus) w/ Dark yellow coating on soft plastic (Piranha)
21. Dull yellow coating on soft plastic (Jellyfish) w/ Black coating on soft plastic (Lantern fish)
22. Transparent plastic film (Instruction)

Note:

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- mg/kg = milligram per kilogram
- * The limit is specified by Commission Regulation (EU) No 1272/2013 amending Annex XVII to Regulation (EC) No 1907/2006 effective after 27 December 2015.



Article 11 of European Directive 94/62/EC and its amendments – Total Lead, Cadmium, Mercury and Hexavalent Chromium Content

Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)			Pb	Cd	Hg	Cr(VI)	Total (Pb + Cd + Cr(VI)+ Hg)
MDL(mg/kg)			5	5	5	8	--
Permissible Limit (mg/kg)			--	--	--	--	100
Specimen No.	Alias No.	Tracing No.	--	--	--	--	--
1	1	1	ND	ND	ND	ND#	ND
2	1	2	ND	ND	ND	ND#	ND
3	2	1	ND	ND	ND	ND#	ND

Specimen Description:

1. White paper label (Sticker) w/ Black coating on paper label (Sticker) + Transparent plastic sheet w/ adhesive (Bag)
2. Transparent plastic film (Bag) + Translucent plastic film (Bag)
3. Silvery w/ multi-color coating on plastic film (Bag)

- Note:
- mg/kg = milligram per kilogram
 - 1% = 10000 mg/kg = 10000 ppm
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - Results shown as ND are ignored in the sum calculation
 - # = The result of Hexavalent chromium (Cr(VI)) is considered as “Not Detected” since the total chromium content determined by acid digestion is “Not Detected”.
 - The result(s) is (are) calculated using the minimum specimen weight for composite test.



SGS-CSTC 检验检测专用章
Inspection & Testing Services
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Regulation (EU) 2019/1021 Persistent Organic Pollutants (POPs Recast) – Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs)

Method: With reference to ISO 18219:2015

Analysis was performed by Gas Chromatography Electron Capture Detector (GC-ECD) / Gas Chromatography Negative Chemical Ionization Mass Spectrometry (GC-NCI-MS)

Articles :

Test Item(s) Specimen No.	Result(s) (mg/kg)			MDL (mg/kg)	Permissible Limit (mg/kg)
	1	2	3		
Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs)	ND	ND	ND	50	1500

Test Item(s) Specimen No.	Result(s) (mg/kg)		MDL (mg/kg)	Permissible Limit (mg/kg)
	4	5		
Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs)	ND	ND	50	1500

Test Item(s) Specimen No.	Result(s) (mg/kg)			MDL (mg/kg)	Permissible Limit (mg/kg)
	6	7	8		
Alkanes C10-C13, chloro (short-chain chlorinated paraffins) (SCCPs)	ND	ND	ND	50	1500

Specimen Description:

1. Orange soft plastic (Giant squid) w/ Transparent dry glue (Joint) + Brown-red soft plastic (Vampire squid)
2. Green soft plastic (Lantern fish) w/ Red coating on soft plastic (Mouth) w/ Yellow coating on soft plastic (Eel) w/ Green coating on soft plastic (Devil fish) w/ Purple coating on soft plastic (Octopus) w/ Dark yellow coating on soft plastic (Piranha) + Grey soft plastic (Shark) + Dull grey soft plastic (Shark)
3. Translucent apricot soft plastic (Jellyfish) w/ Dull yellow coating on soft plastic (Jellyfish) w/ Black coating on soft plastic (Lantern fish) + White foam (Inner) + Beige plastic (Inner)
4. Purple soft plastic (Eel) w/ White coating on soft plastic (Eye, teeth, body) w/ Bright black coating on soft plastic (Eye) w/ Dark apricot coating on soft plastic (Vampire squid) w/ Off-white coating on soft plastic (Puffer fish, stingray, shark) + Dull blue soft plastic (Shark)
5. Multi-color coating on paper sheet (Instruction) (Submitted on Jul 07, 2021)
6. Black soft plastic (Killer whale) + Brown soft plastic (Devil fish) + Yellow soft plastic (Puffer fish)
7. Blue soft plastic (Piranha) + Orange soft plastic (Octopus) + Grey-brown soft plastic (Stingray)
8. Transparent plastic film (Instruction)



- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - The result(s) is (are) calculated using the total specimen weight for composite test.

LABELING REQUIREMENT (UKCA MARKING, NAME AND ADDRESS) FOR THE MARKET OF GREAT BRITAIN (ENGLAND, WALES AND SCOTLAND) WITH REFERENCE TO GUIDANCE PUBLISHED BY DEPARTMENT FOR BUSINESS, ENERGY & INDUSTRIAL STRATEGY

Summary table:

	Observation Result	Location
UKCA Mark	Absent	----
Company Name and Postal Address in Great Britain	Absent	----

Note:

1. The UKCA marking should be at least 5mm in height – unless a different minimum dimension is specified in the relevant legislation. The UKCA marking should be easily visible, legible (from 1 January 2023 it must be permanently attached).
2. To reduce or enlarge the size of UKCA marking, the letters forming the UKCA marking must be in proportion to the official version.
3. UK importer shall label company's details, including company's name and a contact address after 1 January 2021. Until 31 December 2022, UK importer can provide these details on the accompanying documentation rather than on the good itself.



Product Safety Commission (AfPS), GS specification, Specification in accordance with § 21 Section 1 No. 3 ProdSG (Dated May 15, 2019)- Polycyclic Aromatic Hydrocarbon (PAHs) Content

Method: With reference to AfPS GS 2019:01 PAK method.

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Category 1: Materials intended to be placed in the mouth or materials coming into long-term contact with skin (More than 30s) during the intended use – In toys according to Directive 2019/48/EC or for the use by children up to 3 years of age

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit* (mg/kg)
		1	2	3		
Specimen No.	--	1	2	3		
Alias No.	--	5	5	02T-5		
Tracing No.	--	1	2	2		
1. Naphthalene	91-20-3	ND	ND	ND	0.1	1
2. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
3. Anthracene	120-12-7	ND	ND	ND	0.1	--
4. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
5. Pyrene	129-00-0	ND	ND	ND	0.1	--
6. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
7. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
8. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
9. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
10. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
11. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
12. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
13. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
14. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
15. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 4 PAHs [^]	--	ND	ND	ND	--	1
Sum of 15 PAHs	--	ND	ND	ND	--	1



Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit* (mg/kg)
		4	5	6		
Specimen No.	--	4	5	6		
Alias No.	--	5	5	5		
Tracing No.	--	4	5	6		
1. Naphthalene	91-20-3	ND	ND	ND	0.1	1
2. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
3. Anthracene	120-12-7	ND	ND	ND	0.1	--
4. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
5. Pyrene	129-00-0	ND	ND	ND	0.1	--
6. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
7. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
8. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
9. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
10. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
11. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
12. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
13. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
14. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
15. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 4 PAHs [^]	--	ND	ND	ND	--	1
Sum of 15 PAHs	--	ND	ND	ND	--	1



Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit* (mg/kg)
		7	8	9		
Specimen No.	--	7	8	9		
Alias No.	--	5	5	5		
Tracing No.	--	7	8	9		
1. Naphthalene	91-20-3	ND	0.2	ND	0.1	1
2. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
3. Anthracene	120-12-7	ND	ND	ND	0.1	--
4. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
5. Pyrene	129-00-0	ND	ND	ND	0.1	--
6. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
7. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
8. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
9. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
10. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
11. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
12. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
13. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
14. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
15. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 4 PAHs [^]	--	ND	ND	ND	--	1
Sum of 15 PAHs	--	ND	0.2	ND	--	1



SGS-CSTC (Shenzhen) Inspection & Testing Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit* (mg/kg)
		10	11	12		
Specimen No.	--	10	11	12		
Alias No.	--	5	5	5		
Tracing No.	--	10	11	12		
1. Naphthalene	91-20-3	ND	ND	0.2	0.1	1
2. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
3. Anthracene	120-12-7	ND	ND	ND	0.1	--
4. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
5. Pyrene	129-00-0	ND	ND	ND	0.1	--
6. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
7. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
8. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
9. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
10. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
11. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
12. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
13. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
14. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
15. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 4 PAHs [^]	--	ND	ND	ND	--	1
Sum of 15 PAHs	--	ND	ND	0.2	--	1



SGS-CSTC (Shenzhen) Inspection & Testing Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit* (mg/kg)
		13	14	15		
Specimen No.	--	13	14	15		
Alias No.	--	5	5	5		
Tracing No.	--	13	14	15		
1. Naphthalene	91-20-3	ND	ND	ND	0.1	1
2. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
3. Anthracene	120-12-7	ND	ND	ND	0.1	--
4. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
5. Pyrene	129-00-0	ND	ND	ND	0.1	--
6. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
7. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
8. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
9. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
10. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
11. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
12. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
13. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
14. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
15. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 4 PAHs [^]	--	ND	ND	ND	--	1
Sum of 15 PAHs	--	ND	ND	ND	--	1



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit* (mg/kg)
		16	17	18		
Specimen No.	--	16	17	18		
Alias No.	--	5	5	5		
Tracing No.	--	16	17	18		
1. Naphthalene	91-20-3	ND	ND	ND	0.1	1
2. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
3. Anthracene	120-12-7	ND	ND	ND	0.1	--
4. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
5. Pyrene	129-00-0	ND	ND	ND	0.1	--
6. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
7. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
8. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
9. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
10. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
11. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
12. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
13. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
14. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
15. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 4 PAHs [^]	--	ND	ND	ND	--	1
Sum of 15 PAHs	--	ND	ND	ND	--	1



Test Item(s)	CAS No.	Result(s) (mg/kg)			MDL (mg/kg)	Limit* (mg/kg)
		19	20	21		
Specimen No.	--	19	20	21		
Alias No.	--	5	5	5		
Tracing No.	--	19	20	21		
1. Naphthalene	91-20-3	ND	ND	ND	0.1	1
2. Phenanthrene	85-01-8	ND	ND	ND	0.1	--
3. Anthracene	120-12-7	ND	ND	ND	0.1	--
4. Fluoranthene	206-44-0	ND	ND	ND	0.1	--
5. Pyrene	129-00-0	ND	ND	ND	0.1	--
6. Benzo[a]anthracene	56-55-3	ND	ND	ND	0.1	0.2
7. Chrysene	218-01-9	ND	ND	ND	0.1	0.2
8. Benzo[b]fluoranthene	205-99-2	ND	ND	ND	0.1	0.2
9. Benzo[k]fluoranthene	207-08-9	ND	ND	ND	0.1	0.2
10. Benzo[j]fluoranthene	205-82-3	ND	ND	ND	0.1	0.2
11. Benzo[a]pyrene	50-32-8	ND	ND	ND	0.1	0.2
12. Benzo[e]pyrene	192-97-2	ND	ND	ND	0.1	0.2
13. Indeno[1,2,3-cd]pyrene	193-39-5	ND	ND	ND	0.1	0.2
14. Dibenzo[a,h]anthracene	53-70-3	ND	ND	ND	0.1	0.2
15. Benzo[g,h,i]perylene	191-24-2	ND	ND	ND	0.1	0.2
Sum of 4 PAHs [^]	--	ND	ND	ND	--	1
Sum of 15 PAHs	--	ND	ND	ND	--	1



SGS-CSTC (Shenzhen) Inspection & Testing Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Test Item(s)	CAS No.	Result(s) (mg/kg)	MDL (mg/kg)	Limit* (mg/kg)
Specimen No.	--	22		
Alias No.	--	02T-5		
Tracing No.	--	1		
1. Naphthalene	91-20-3	ND	0.1	1
2. Phenanthrene	85-01-8	ND	0.1	--
3. Anthracene	120-12-7	ND	0.1	--
4. Fluoranthene	206-44-0	ND	0.1	--
5. Pyrene	129-00-0	ND	0.1	--
6. Benzo[a]anthracene	56-55-3	ND	0.1	0.2
7. Chrysene	218-01-9	ND	0.1	0.2
8. Benzo[b]fluoranthene	205-99-2	ND	0.1	0.2
9. Benzo[k]fluoranthene	207-08-9	ND	0.1	0.2
10. Benzo[j]fluoranthene	205-82-3	ND	0.1	0.2
11. Benzo[a]pyrene	50-32-8	ND	0.1	0.2
12. Benzo[e]pyrene	192-97-2	ND	0.1	0.2
13. Indeno[1,2,3-cd]pyrene	193-39-5	ND	0.1	0.2
14. Dibenzo[a,h]anthracene	53-70-3	ND	0.1	0.2
15. Benzo[g,h,i]perylene	191-24-2	ND	0.1	0.2
Sum of 4 PAHs [^]	--	ND	--	1
Sum of 15 PAHs	--	ND	--	1



SGS-CSTC (China) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Specimen Description:

1. Orange soft plastic (Giant squid)
2. Transparent dry glue (Joint)
3. Multi-color coating on paper sheet (Instruction) (Submitted on Jul 07, 2021)
4. Brown-red soft plastic (Vampire squid)
5. Green soft plastic (Lantern fish)
6. Translucent apricot soft plastic (Jellyfish)
7. Purple soft plastic (Eel)
8. Black soft plastic (Killer whale)
9. Brown soft plastic (Devil fish)
10. Yellow soft plastic (Puffer fish)
11. Blue soft plastic (Piranha)
12. Orange soft plastic (Octopus)
13. Grey-brown soft plastic (Stingray)
14. Grey soft plastic (Shark)
15. Dull grey soft plastic (Shark)
16. Dull blue soft plastic (Shark)
17. White coating on soft plastic (Eye, teeth, body) w/ Bright black coating on soft plastic (Eye) w/ Dark apricot coating on soft plastic (Vampire squid)
18. Red coating on soft plastic (Mouth) w/ Yellow coating on soft plastic (Eel) w/ Green coating on soft plastic (Devil fish)
19. Off-white coating on soft plastic (Puffer fish, stingray, shark)
20. Purple coating on soft plastic (Octopus) w/ Dark yellow coating on soft plastic (Piranha)
21. Dull yellow coating on soft plastic (Jellyfish) w/ Black coating on soft plastic (Lantern fish)
22. Transparent plastic film (Instruction)



- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - mg/kg = milligram per kilogram
 - + The limit is specified by Committee on Product Safety (Ausschuss für Produktsicherheit, AfPs) Examination and assessment of Polycyclic Aromatic Hydrocarbons (PAHs) in the recognition of the GS Mark effective after July 1, 2020.
 - ^ 4 PAHs including Phenanthrene, Anthracene, Fluoranthene & Pyrene
 - Results shown as ND are ignored in the sum calculation

Lead Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3

Test Item(s)	Unit	1	2	3	MDL	Client's Limit
Alias No.	--	9	9	9	--	--
Tracing No.	--	1	2	3	--	--
Lead (Pb)	mg/kg	24	31	38	10	90

Test Item(s)	Unit	4	5	6	7	8	MDL	Client's Limit
Alias No.	--	10	10	10	10	10	--	--
Tracing No.	--	1	2	3	4	5	--	--
Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	10	100

Test Item(s)	Unit	9	MDL	Client's Limit
Alias No.	--	02T-8	--	--
Tracing No.	--	1	--	--
Lead (Pb)	mg/kg	ND	10	100

Test Item(s)	Unit	10	MDL	Client's Limit
Alias No.	--	02T-11	--	--
Tracing No.	--	1	--	--
Lead (Pb)	mg/kg	ND	10	90



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Specimen Description:

1. Dull yellow coating on soft plastic (Jellyfish) w/ Black coating on soft plastic (Lantern fish)
2. White coating on soft plastic (Eye, teeth, body) w/ Bright black coating on soft plastic (Eye) w/ Dark apricot coating on soft plastic (Vampire squid) + Off-white coating on soft plastic (Puffer fish, stingray, shark)
3. Red coating on soft plastic (Mouth) w/ Yellow coating on soft plastic (Eel) w/ Green coating on soft plastic (Devil fish) + Purple coating on soft plastic (Octopus) w/ Dark yellow coating on soft plastic (Piranha)
4. Orange soft plastic (Giant squid) + Transparent dry glue (Joint) + Brown-red soft plastic (Vampire squid)
5. Green soft plastic (Lantern fish) + Translucent apricot soft plastic (Jellyfish) + Purple soft plastic (Eel)
6. Black soft plastic (Killer whale) + Brown soft plastic (Devil fish) + Yellow soft plastic (Puffer fish)
7. Blue soft plastic (Piranha) + Orange soft plastic (Octopus) + Grey-brown soft plastic (Stingray)
8. Grey soft plastic (Shark) + Dull grey soft plastic (Shark) + Dull blue soft plastic (Shark)
9. Transparent plastic film (Instruction)
10. Multi-color coating on paper sheet (Instruction) (Submitted on Jul 07, 2021)

- Note:
- mg/kg = milligram per kilogram
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - The result(s) is (are) calculated using the minimum specimen weight for composite test

N.B. : - Only applicable clauses were shown.



Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability($k=2$), $w = U_{95}$. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (T_U):

Pass - when the measurement result is below $T_U - U_{95}$

Fail - when the measurement result is above $T_U + U_{95}$

Inconclusive - when the measurement result is falling in guard band [$T_U - U_{95}$, $T_U + U_{95}$]

For Lower Tolerance Limit (T_L):


Pass - when the measurement result is above $T_L + U_{95}$

Fail - when the measurement result is below $T_L - U_{95}$

Inconclusive - when the measurement result is falling in guard band [$T_L - U_{95}$, $T_L + U_{95}$]




Sample Picture (As received)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Sample Picture (As received)

Pic.9



Pic.10



Pic.11



Pic.12



SGS-CSTC (Shenzhen) Technical Services Co., Ltd.
Shenzhen Branch Testing Center Hardlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

Sample Picture (As received)

Pic.13



Pic.14



Pic.15



SGS authenticate the photo on original report only

*** End of Report ***

